

# INDEX MAPS.

**T. 32 N. R. 9 W. 2<sup>nd</sup> — Mer.**

Meanders - 442

	424	423	423	423	423	423	423					
425	6	441	5	437	4	434	3	431	2	428	1	422
	441	441	436	433	431	428						
425	7	440	8	436	9	433	10	430	11	428	12	422
	440	440	436	433	430	427						
425	18	440	17	435	16	433	15	430	14	427	13	422
	439	439	435	432	430	427						
424	19	439	20	435	21	432	22	430	23	427	24	422
	438	438	435	432	429	426						
424	30	438	29	434	28	432	27	429	26	426	25	421
	437	437	434	432	429	426						
424	31	437	32	434	33	431	34	429	35	426	36	421
	421	420	420	419	419	419						

Meanders — 442

**T. 33 N. R. 9 W. 2<sup>nd</sup> — Mer.**

	451		451		450		450		450		449	
453	6	470	5	465	4	462	3	459	2	457	1	449
	470		469		464		462		459		457	
452	7	469	8	464	9	462	10	459	11	457	12	449
	468		468		464		461		459		455	
452	18	467	17	464	16	461	15	458	14	455	13	449
	467		467		463		461		458		455	
452	19	466	20	463	21	461	22	458	23	454	24	448
	466		466		463		460		457		454	
451	30	465	29	463	28	460	27	457	26	454	25	448
	465		465		462		460		457		453	
451	31	465	32	462	33	460	34	457	35	453	36	448
	448		447		447		447		447		447	

[P] The figures on the lines refer to the page.

South Boundary

Bar, 5°55' E,

West on South Side Sec. 36

Boagare in dry prairie

- 210.00 Set Tr. Sec. post no mound nor bearings  
 77.00 Enter a small grove of timber  
 80.00 Set post cor. to Sec. 35 & 36 from which  
     a "Bee, Oak & w. dia. bears N. 75 E. 48 Mo. dis.  
     a Cherry 9 " " " N. 65 W. 73 " "  
 Land rolling & 1<sup>st</sup> rate prairie, timber in grove  
 Oak Hickory & Cherry.

West on South Side Sec. 35

- 2.00 Leave grove & enter marsh  
 4.00 To a stream 20 Mo. wide course South  
 8.00 Enter dry prairie  
 40.00 Set Tr. Sec. post no mound nor bearings  
 80.00 Set post cor. to Sec. 34 & 35 when raise a mound  
 Land rolling prairie 1<sup>st</sup> rate

West on South Side Sec. 34

- 40.00 Set Tr. Sec. post when raise a mound  
 75.00 Enter wet prairie  
 80.00 Set post cor. to Sec. 33 & 34 in wet prairie  
     no mound in consequence of water  
 Land much as before

West on South Side Sec. 33

- 5.00 Land wet prairie  
 210.00 Set Tr. Sec. post when raise a mound  
 80.00 Set post cor. to Sec. 32 & 33 when raise a mound  
 Land same

West on South Side Sec. 32

- 40.00 Set Tr. Sec. post when raise a mound  
 80.00 Set post cor. to Sec. 31 & 32 when raise a mound land same

# T<sup>h</sup> 33<sup>d</sup> N. - R. 9<sup>th</sup> W. 2<sup>nd</sup> Mer. Indiana

West on South Side Sec. 31  
 40.00 Set gr. Sec. post when raise a mound  
 65.00 Enter North of a grove  
 78.64 To West Boundary 16<sup>th</sup> Sec. S. of post Temporary  
 where set post cor. to T<sup>h</sup> 32<sup>d</sup> N. R. 9<sup>th</sup> W. 10<sup>th</sup> West from which  
 @ Br. Oak 10 in. dia. bears S. 20 E. 143 lks. dist.  
 @ Y. Oak 10 " " " N. 32 E. 136 " "  
 Land rolling prairie 1<sup>st</sup> rate mostly, a few  
 scattering on East quarter  
 Surveyed Feby 10<sup>th</sup> 1834 by  
 Sylvester Libbey Dep. Sur.

## East Boundary

(Cor. 7° 15' E,

North on East Side Sec. 36  
 Began in dry prairie  
 40.00 Set gr. Sec. post when raise a mound  
 80.00 Set post cor. to Sec. 25 & 36 when raise a mound  
 Land rolling prairie 1<sup>st</sup> rate

North on East Side Sec. 25  
 40.00 Set gr. Sec. post when raise a mound  
 80.00 Set post cor. to Sec. 24 & 25 when raise a mound  
 Land Same

North on East Side Sec. 24  
 23.00 Leave prairie & Enter Timber  
 23.70 To a Hickory 11 in. dia.  
 40.00 Set gr. Sec. post from which  
 @ Hickory 24 in. dia. bears N. 84 W. 3 1/2 lks. dist.  
 @ Do 6 " " " N. 26 W. 28 " "  
 64.48 To a Do 10 " "  
 80.00 Set post cor. to Sec. 13 & 24 from which  
 @ Br. Oak 24 in. dia. bears S. 39 W. 262 lks. dist.  
 @ " Do 32 " " " S. 76 1/2 W. 3.42 " "  
 Land rolling 1<sup>st</sup> rate, Timber Oak & Hickory

North on East Side Sec. 13  
 13.42 To a Br. Oak 8 in. dia.  
 40.00 Set gr. Sec. post from which  
     a Br. Oak 8 in. dia. bears N. 49 W. 197 the dist.  
     a Hickory 5 " " " N. 3 $\frac{1}{2}$  W. 167 " "  
 41.72 a Do 9 " "  
 46.00 Enter wet prairie  
 80.00 Set post cor. to Secs. 12 & 13 from which  
     a W. Oak 6 in. dia. bears S. 65 W. 336 the dist.  
     a Y. Oak 24 " " " N. 80 W. 342 " "  
 Land rolling & good Timber Oak & Hickory

North on East Side Sec. 12  
 20.00 Leave wet prairie  
 40.00 Set gr. Sec. post from which  
     a Y. Oak 20 in. dia. bears S. 33 E. 361 the dist.  
     a " Do 12 " " " S. 27 $\frac{1}{2}$  E. 339 " "  
 40.46 To a Br. Do 12 " " "  
 80.00 Set post cor. to Secs. 1 & 12 from which  
     a Br. Oak 9 in. dia. bears S. 24 $\frac{1}{2}$  W. 188 the dist.  
     a " Do 7 " " " S. 40 W. 136 " "  
 Land &c. much as before

North on East Side Sec. 1  
 40.00 Set gr. Sec. post from which  
     a Hickory 3 in. dia. bears N. 80 W. 52 the dist.  
     a Br. Oak 3 " " " N. 13 W. 126 " "  
 80.00 Set post Temporary cor. to T. 33 & 34 N. R. 8 & 9 W.  
 Land &c. much same  
 Surveyed Feb'y 13<sup>th</sup> 1834 by  
 Sylvester Sibley Dep't. Sur.

## North Boundary

(Bear, 5° 50' E.)  
 West on South Side Sec. 36 T. 34 N. 9 W.  
 10.00 To a Stream 20 the wide crs. S. W.



S. 33 N. R. 9 T. 2nd Mo. Indian a

- 40.00 Set gr. Sec. post from which  
 @ W. Oak 16 in. dia, bears N. 83 E. 88 Mo. dist.  
 @ " Do 10 " " " N. 7 W. 19 " "  
 43.00 To a Run 2 Mo, wide crs. S. W.  
 80.00 Set post cor. to Sec. 35 & 36 from which  
 @ Br. Oak 20 in. dia, bears N. 9 E. 30 Mo. dist.  
 @ " Do 14 " " " N. 25 W. 127 " "  
 Land rolling & 1<sup>st</sup> rate, thinly timbered with  
 W. Br. Oak,

- West on South Side Sec. 35 T. 34 N. R. 9 W.  
 19.00 To a stream 20 Mo, wide crs. S. E.  
 37.95 " @ W. Oak 12 in. dia,  
 40.00 Set gr. Sec. post from which  
 @ W. Oak 12 in. dia bears N. 11 W. 63 Mo. dist.  
 @ Hickory 10 " " " N. 56 W. 102 " "  
 64.00 Enter Marsh  
 80.00 Set post cor. to Sec. 34 & 35 in marsh from W.  
 @ Br. Oak 12 in. dia, bears S. 89 E. 16.17 Mo. dist.  
 no other, land E. of marshes as before

- West on South Side Sec. 34 T. 34 N. R. 9 W.  
 38.00 Leave marsh & enter dry prairie  
 40.00 Set gr. Sec. post from which  
 @ Br. Oak 7 in. dia, bears S. 11 $\frac{1}{2}$  W. 53 Mo. dist.  
 @ " Do 12 " " " S. 7 W. 6.45 " "  
 80.00 Set post cor. to Sec. 33 & 34 where raised mound  
 Prairie gently rolling & first rate

- West on South Side Sec. 33 T. 34 N. R. 9 W.  
 37.00 To a small pond hole  
 40.00 Set gr. Sec. post in pond hole  
 43.00 Leave pond  
 80.00 Set post cor. to Sec. 32 & 33 where raised mound  
 Land Rolling prairie good soil,

West on South Side Sec. 32 T. 34 N. R. 9 W.  
 28.00 Leave prairie & Enter Timber  
 40.00 Set gr. Sec. post from which  
     @ Bo. Oak 8 in. dia. bears N. 83 E. 56 lbs. dist.  
     @ " Do 15 " " " N. 14 E. 7 " "  
 50.00 Set post cor. to Sec. 31 & 32 from which  
     @ Bo. Oak 6 in. dia. bears N. 14½ E. 44 lbs. dist.  
     @ " Do 4 " " " N. 36 W. 69 " "  
 Land rolling & first rate thinly timbered with  
 oak & Hickory

---

West On South Side Sec. 31 T. 34 N. R. 9 W.  
 22.00 Enter marsh  
 36.00 To a Muddy Stream spread out in marsh  
 40.00 gr. Sec. cor. could not be established on account  
     of water Sec & mud,  
 49.00 Leave marsh & Enter dry prairie  
 73.00 Enter wet prairie  
 78.15 W. Boundary 94 lbs N. of Temporary cor. when  
     Set post & raise a mound cor. T. 33 & 34 N. R. 9 & 10 W.  
     Land rolling & 1<sup>st</sup> rate on both sides of marsh  
     Timber on East Side oak & Hickory  
     Surveyed Feb'y, 17<sup>th</sup> 1834 by  
     Sylvester Sibley Dep't. Sur.

---

West Boundary

(Var, 7° 20' E)

North on East Side Sec. 36 T. 33 N. R. 10 W.  
 20.00 Leave Timber & Enter dry prairie  
 40.00 Set gr. Sec. post, when raise a mound  
 50.00 Set post cor. to Sec. 25 & 36. when raise a mound  
 Land rolling & 1<sup>st</sup> rate some oak & Hickory  
 on South quarter

---

North on East Side Sec. 25 T. 33 N. R. 10 W.  
 30.00 Enter wet prairie

T. 33 N. R. 9 W. 2nd Mer. Ind.

- 10.00 Set gr. Sec. post from which  
 @ Br. Oak 5 in. dia, bears N. 86 1/2 E. 6.45 lbs. dist.  
 @ Y. Oak 7 " " " Y. 85 1/2 E. 6.13 " "  
 80.00 Set post cor. to Sec. 24 & 25 from which  
 @ W. Oak 26 in. dia bears S. 60 1/2 W. 2.37 lbs. dist.  
 @ " Do 26 " " " N. 87 1/2 W. 3.40 " "  
 Land South of wet prairie as before, prairie  
 2nd rate Timber a few oaks,

- North on East Side Sec. 24 T. 33 N. R. 10 W.  
 32.00 Land wet prairie  
 40.00 Set gr. Sec. post from which  
 @ Br. Oak 26 in. dia bears S. 3 1/2 W. 2.15 lbs. dist.  
 @ W. Oak 12 " " " N. 80 W. 2.28 " "  
 63.00 Enter marsh  
 80.00 Set post cor. to Sec. 13 & 24 from which  
 @ Willow 4 in. dia bears N. 65 1/3 E. 5.43 lbs. dist.  
 no other, land mostly flat + poor  
 Timber as before

- North on East Side Sec. 13 T. 33 N. R. 10 W.  
 40.00 Set gr. Sec. post from which  
 @ Br. Oak 7 in. dia bears N. 39 E. 4.94 lbs. dist.  
 @ Y. Oak 20 " " " N. 6 1/2 E. 3.97 " "  
 45.00 To a stream 30 lbs. wide course S. W.  
 71.00 Leave marsh  
 80.00 Set post cor. to Sec. 12 & 13 from which  
 @ Y. Oak 24 in. dia bears S. 29 1/2 W. 2.71 lbs. dist.  
 @ Br. Oak 8 " " " N. 8 1/2 W. 3.97 " "  
 Land level + mostly wet soil poor. Some oaks

- North on East Side Sec. 12 T. 33 N. R. 10 W.  
 21.00 Enter wet prairie  
 36.00 Leave " do  
 40.00 Set gr. Sec. post from which  
 @ Y. Oak 10 in. dia bears S. 82 W. 1.46 lbs. dist.

- 21 Y. Oak 22 in. dia, bears N. 48 1/2 W. 1.09 lbs. dist.  
 48.48 To 2 Br. Oak 8 " "  
 65.00 Enter dry prairie  
 80.00 Set post cor. to Sec. 1 & 12 where prairie & mound  
 Land rolling & good wet prairie except some  
 Scatterings Oak

- North on East Side Sec. 1 T. 33. N. 10. 10 W.  
 40.00 Set gr. Sec. post from which  
 2 Br. Oak 3 in. dia, bears N. 82 E. 1.93 lbs. dist.  
 2 " Do 3 " " " N. 38 E. 2.86 " "  
 77.00 Enter wet prairie  
 80.00 Set Temporary post cor. to T. 33 & 34 N. R. 9 & 10 W.  
 Land rolling & 1<sup>st</sup> rate prairie  
 Surveyed July, 12<sup>th</sup> 1834. by  
 Sylvester Sibley Dep<sup>y</sup> Sur.

- C. Sec. Subdivisions  
 (Bar. 7° 15' E.)  
 North Between Sections 35 & 36  
 2.25 Leave grove & descend to creek bottom, on left  
 15.00 Ascend bluff - high prairie  
 40.00 Set gr. Sec. post in prairie from which  
 2 Blk. Oak 12 in. dia, bears S. 87 W. 5.10 lbs. dist.  
 2 Hickory 10 " " " N. 48 1/2 W. 6.28 " "  
 66.50 Enter grove  
 77.12 To 2 Br. Oak 15 in. diam.  
 80.00 Set post cor. to Sec. 25, 26, 35 & 36 from which  
 2 W. Oak 14 in. dia, bears N. 9 1/2 W. 7.6 lbs. dist.  
 2 Hickory 9 " " " N. 89 1/2 W. 1.03 " "  
 Land rolling dry & 2<sup>nd</sup> rate, Timber Hickory, Br.  
 Y. & W. Oak undergrowth Maple &c.

- East on Random between Sec. 25 & 36  
 11.00 Leave grove & enter prairie  
 80.00 Enter sec. 36, 15 lbs. N. of post, land high dry prairie

T. 33 N. - R. 9 W. 2<sup>nd</sup> Mer. Indiana

6.25 good second rate Soil

---

West Corner line between Secs 25 & 36210.03 Set gr. Sec. post where raise a mound, granite  
Rock 4 pounder mound

80.06 Section Corner.

---

North Between Sections 25 & 26

16.56 To a W. Oak 10 in. dia,

31.42 " a Br. Oak 9 " "

20.00 Set gr. Sec. post from which

a Hickory 20 in. dia, bears S. 80 $\frac{1}{2}$  W. 6 lbs. dist.

a Br. Oak 24 " " " N. 27 E. 33 " "

48.36 To a Hickory 12 " "

80.00 Set post cor. to Secs 23, 24, 25 &amp; 26 from which

a Br. Oak 20 in. dia, bears N. 35 E. 63 lbs. dist.

a " Do 20 " " " S 38 W. 2.30 " "

Land rolling good Soil timbered with  
Hickory, W. R. Br. Oak & some Y. Oak, some  
cherry, undergrowth Hazel, W. half of 25  
well timbered

---

East on Ransom between Secs 24 & 2580.62 Antiseet E. Boundary 10 lbs. N. of post, land  
partly timbered & partly prairie good Soil

---

West Corner line between Secs 24 & 25

40.31 Set post gr. Sec. cor. from which

a Hickory 18 in. dia, bears N. 13 E. 1.34 lbs. dist.

a Y. Oak 18 " " " N. 45 $\frac{1}{2}$  W. 1.16 " "

80.62 Section Corner.

---

North Between Sections 23 & 24

10.57 To a Hickory 10 in. dia

18.60 " " Y. Oak 22 " "

20.00 Set gr. Sec. post from which



T. 33 N. - R. 9 W. 24 Mer. Indiana

455

6.10 @ Br. Oak 14 in. dia. bears S. 25° N. 13 lbs. dist.  
 @ " Do 14 " " " North 25 " "  
 47.17 To a H. Oak 11 " "  
 77.05 " @ Creek 30 ft. wide 3 ft. deep Brisk current S. 25° W.  
 80.00 Set post cor. to Secs. 13, 14, 23 & 24 from which  
 @ Br. Oak 30 in. dia. bears N. 29 1/2° W. 5.68 lbs. dist.  
 @ " Do 30 " " " N. 19° W. 6.75 " "  
 Land rolling timber, timber. W. Br. & Br. & some  
 Y. Oak & Hickory, 2<sup>nd</sup> rate

---

East on Random between Secs. 13 & 24  
 125 To a creek from N. N. E.  
 80.40 Intersect E. Boundary 40 lbs. North of post

---

West Correct line between Secs. 13 & 24  
 10.71 To a Hickory 12 in. diam.  
 40.20 Set gr. Sec. post from which  
 @ Br. Oak 14 in. dia. bears N. 7 1/2° W. 6 lbs. dist.  
 @ " Do 14 " " " S. 5 1/2° E. 60 " "  
 80.40 Section corner,  
 Land handsomely rolling, 2<sup>nd</sup> rate, Br, W &  
 Y. Oak, no undergrowth. June 9<sup>th</sup> 1884

---

North Between Sections 13 & 14  
 23.92 To a Br. Oak 26 in. dia.  
 31.00 Do end from ridge into marsh  
 40.00 Set gr. Sec. post from which  
 @ Y. Oak 36 in. dia. bears S. 33 1/2° E. 6.14 lbs. dist.  
 @ Br. Oak 12 " " " S. 1 1/2° E. 7.36 " "  
 80.00 Set post cor. to Secs. 11, 12, 13 & 14 no mound in  
 consequence of water, first half mile past  
 Rolling Br. & Y. Oak thick W. H. Hoyle  
 Hickory & Oak, last half mile flag marsh.

---

East on Random between Secs. 12 & 13  
 3.00 Leave marsh & rise high rolling prairie



Y 33 N. R. 9 W. 2<sup>nd</sup> Mer. Ind. Co

- 38.45 Descend Ridge & come to creek 12 lbs wide on N. side  
 41.00 Raise Do  
 78.50 Descend from Ridge into flag marsh  
 80.20 Intersect E. Boundary 14 lbs. South of post  
 Land rolling, scattering timber Br. oak  
 Undergrowth Hazel Sumac &c,

- West Corner line between Sec. 12 & 13  
 40.10 Set gr. Sec. post from which  
     a Br. Oak 18 in. dia. bears S. 29 $\frac{1}{2}$  E. 2.11 lbs. dist.  
     a " Do 11 " " " S. 8 $\frac{1}{4}$  E. 2.67 " "  
 80.20 Section corner

- North Between Sections 11 & 12  
 5.50 Leave marsh & ascend high prairie  
 40.00 Set post & raise a mound gr. S. E. cor, granite  
 Rock in mound 20 lbs wt.  
 80.00 Set post cor to Sec. 1, 2, 11 & 12 from which  
     a Br. Oak 20 in. dia. bears S. 85 $\frac{1}{2}$  W. 2.90 lbs. dist.  
     a " Do 14 " " " N. 47 $\frac{1}{2}$  E. 8.56 " "  
 Land first rate prairie

- East on Random between Sec. 1 & 12  
 21.08 Cross creek 20 lbs wide from North  
 21.75 Cross Do 2<sup>nd</sup> time  
 22.50 Cross Do 3<sup>rd</sup> time  
 80.05 Intersect E. Boundary 10 lbs S. of post. Land  
 prairie W. of creek. E. of creek high rolling  
 Barrens scattering Br. oak & Hickory W. G.  
 Hazel Oak & Hickory, good 2<sup>nd</sup> rate soil

- West Corner line between Sec. 1 & 12  
 40.02 $\frac{1}{2}$  Set gr. Sec. post from which  
     a Br. Oak 8 in. dia. bears S. 87 $\frac{1}{2}$  E. 1.10 lbs. dist.  
     a " Do 10 " " " N. 6 E. 1.60 " "  
 80.05 Section corner,

Path Between Sections 1 & 2

- 7.00 To a Trail & Wagon Road corner N. E.  
 40.00 Set gr. Sec post & raise a mound. Rock 5<sup>th</sup> lot.  
 64.75 To a Creek from N. W.  
 78.77 Intersect N. Boundary of 2<sup>nd</sup> W. of post <sup>set post</sup> from which  
 a Br. Oak 20 in. dia 20 in. dia, bears S. 56 $\frac{1}{2}$  E. 428 lbs.  
 a " Do 8 " " bears S. 81 W. 1,47 lbs. dist.  
 Land mostly prairie. & small scattering grove of Br.  
 Oak 2<sup>nd</sup> rate Land 11<sup>th</sup> 1834

Path Between Sections 34 & 35

- 40.00 gr. Sec corner post & mound of Earth & Soil  
 80.00 Set post cor. to Sec. 26, 27, 34 & 35 when raise a  
 mound of Earth & Soil, land high rolling  
 prairie first rate

East on Random between Sec. 26 & 35

- 33.00 Descend from high ground to marsh near creek  
 46.50 To a Creek 20<sup>th</sup> wide or South  
 79.38 Intersect point, 7<sup>th</sup> the North of post, land  
 West of marsh handsomely rolling & rich  
 prairie East of creek rolling timber land  
 Br. Y. & W. Oak & some Hickory

West Correct line between Sec. 26 & 35

- 39.69 Set gr. Sec post in marsh no bearing trees  
 79.58 Section Corner,

North Between Sections 26 & 27

- 40.00 Set gr. Sec. post when raise a mound of Earth & Soil  
 50.00 Set post cor. to Sec. 22, 23, 26 & 27 from which  
 a Hickory 20 in. dia, bears S. 78 $\frac{1}{2}$  E. 498 lbs. dist.  
 a Do 12 " " " N. 79 $\frac{1}{4}$  E. 470 " "  
 Land rolling Rich prairie first Rate

East on Random between Sec. 23 & 26

# T. 33 N. - R. 9 W. 2<sup>nd</sup> Mer, Indiana

- 21.00 Leave prairie  
 35.00 Decend from Ridge  
 36.50 To a creek 25 lbs wide course S. W.  
 54.00 Cross a bend in the creek  
 60.00 Raise High ground  
 79.64 Intersect E. line of Sec. 18 lbs north of post  
 Land broken W. oak Y. Oak & Hickory, underground  
 Hazel Sumac &c.

## West Corner line between Sec. 23 & 26

- 39.82 Set gr. Sec. post from which  
 @ W. Oak 20 in. dia, bear N. 38 $\frac{1}{2}$  E. 224 lbs. dist.  
 @ Y. Oak 22 " " " N. 15 $\frac{1}{2}$  E. 3.26 " "  
 79.64 Section Corner,

## North Between Sections 22 & 23

- 40.00 Set gr. Sec. post from which  
 @ W. Oak 14 in. dia, bear N. 25 E. 80 lbs. dist.  
 @ " Do 12 " " " S. 41 E. 1.48 " "  
 47.04 To W. Oak 18 " "  
 80.00 Go to Sec. 14, 15, 22 & 23 where set post in  
 mound of earth & soil & small stone  
 Land broken prairie & ridges of Hozer 2<sup>nd</sup>  
 rate June 14<sup>th</sup> 1834

## East on Random between Sec. 14 & 23

- 34.50 Decend from high prairie & enter marsh  
 64.00 Leave marsh & cross narrow ridge  
 74.50 To a creek cr. S. E.  
 76.00 go creek from S. E.  
 80.00 Intersect post. prairie & marsh Land 3<sup>rd</sup> rate

## West Blazed line back between Sec. 14 & 23

- 40.00 Set gr. Sec. post in marsh, no bearing trees,  
 80.00 To Sec. corner.

## North Between Sections 14 & 15

- 40.00 Set gr. Sec. post where raised a mound

T. 33 N. R. 9 W. 2<sup>nd</sup> Sec. Indiana

459

50.00 Set post cor. to Sec. 10, 11, 14 & 15 where raised a mound of Earth & Soil, land high rolling, prairie just above

East on Random between Sec. 11 & 14

37.00 To a Spring of marsh on left hand

42.25 Cross brook from Spring, course South

75.00 Descend Ridge & Enter marsh

79.85 Intersect E. line of Sec. 41 1/2 mi. North of post  
Land Same

West Corner of line between Sec. 11 & 14

39.92<sup>2</sup> Set gr. Sec. cor. post where raised a mound

79.85 Section Corner,

North Between Sections 10 & 11

28.10 To a Trail & Wagon Road course N. E.

40.00 Set gr. Sec. post where raised mound of Earth & Soil

50.00 Set post cor. to Sec. 2, 3, 10 & 11 where raised a mound of Earth & Soil, Land Same

East on Random between Sec. 2 & 11

66.00 To a Trail & Wagon Road course N. E.

79.36 Intersect N. E. line at post. Land Same

West Corner of line between Sec. 2 & 11

39.68 gr. Sec. cor. where raised a mound

79.36 Section Corner,

North Between Sections 2 & 3

35.00 Descend from prairie into deep marsh

40.00 Set gr. Sec. post in marsh. no bearing trees

26.28 Leave marsh & cross side of Island

69.78 Enter Marsh

79.32 Intersect North Boundary 12 mi. west of post  
no bearing trees on South side of line, & those  
on N. side incapable. The most of Sec. 2 & 3

# T. 33 N. - R. 9 W. 2<sup>nd</sup> Mer, Indiana

6.1<sup>1</sup>/<sub>2</sub> is high rolling rich prairie the N. B. is marsh  
about 20 ch. each side of dividing line N.  
of S. line is a Lake. June 15, 1834

North Between Sections 33 & 34

- 5.00 To a Brook 3<sup>1</sup>/<sub>2</sub> m, wide from N. N. E.  
36.50 Leave marsh and ascend high prairie  
110.00 Set gr. S. e. post 1<sup>1</sup>/<sub>2</sub> m raise a mound of earth & sod  
80.00 Set post cor. to Secs 27, 28, 33 & 34 1<sup>1</sup>/<sub>2</sub> m raise a  
mound of earth & sod  
Land after leaving marsh high rolling prairie  
good 2<sup>nd</sup> rate,

East on Rangeon between Secs 27 & 34

- 79.78 Intersect E. line of Sec 14 m, North of post  
Land high rolling prairie first rate

West Corner line between Secs 27 & 34

- 39.89 Set gr. S. e. post 1<sup>1</sup>/<sub>2</sub> m raise a mound of earth & sod  
79.78 Section corner,

North Between Sections 27 & 28

- 40.00 Set gr. S. e. post 1<sup>1</sup>/<sub>2</sub> m raise a mound of earth & sod  
80.00 Set post cor. to Secs 21, 22, 27 & 28 1<sup>1</sup>/<sub>2</sub> m raise  
a mound, Land same, this prairie is covered  
with grass & some 1<sup>1</sup>/<sub>2</sub> m prairie dock & other  
vegetation common to high dry rich prairie

East on Rangeon between Secs 22 & 27

- 19.25 To a Brook from Spring which bears S. E. 3 chains  
23.25 To " Spring run, Spring, S. E. about 4.25 m  
19.65 Intersect E. line of Sec 3 m. N. of Post—  
Land same

West Corner line between Secs 22 & 27

- 39.82<sup>1</sup>/<sub>2</sub> Set gr. S. e. post 1<sup>1</sup>/<sub>2</sub> m raise a mound of earth & sod



461

T. 33 N. R. 9 W. 2nd Sec. Indiana

49.65 Section Corner,

North Between Sections 21 & 22

17.25 To a Brook from S. E.

25.75 Descend from Ridge to Valley, wet ground from N. E.

34.50 Ascend Ridge

40.00 Set gr. S. E. post when raise a mound of Earth & Sod

51.50 Descend Ridge & crop narrow marsh. course N. W.

56.00 Ascend Ridge

80.00 Set post cor. to S. E. 15, 16, 21 & 22 when raise a mound of Earth & Sod. land some broken second rate prairie,

East on Random between S. E. 15 & 22

37.50 To a Pond of water 12 in. deep. hard grass and Bullrushes

51.00 Leave Pond

\* 79.46 Intersect E. line of S. E. 8 lks N. of post, land high rolling prairie first rate

West Correct line between S. E. 15 & 22

39.73 Set gr. S. E. post in pond no bearings

79.46 Section Corner,

Note

\* Having in one area the variation every both line on this tier to avoid approaching the parallel on E; I am convinced some local attraction influences the needle

June 16<sup>th</sup> 1834

North Between Sections 15 & 16

40.00 Set gr. S. E. post when raise a mound

45.19 To a Trail & Wagon road N. E. cor

80.00 Set post, cor to S. E. 9, 10, 15 & 16, land same

East on Random between S. E. 10 & 15



T. 33 N. — R. 9 W. 2<sup>nd</sup> Mer. Indiana

43.51 To a Trail & Wagon Road course N. E.,  
 80.18 Intersect E. line of Sec. 9 24 lks North of post  
 Land same

West Corner line between Sec. 10 & 15  
 40.09 Set gr. Sec. post where raise a mound  
 80.18 Section corner,

North Between Sections 9 & 10  
 40.00 Set gr. Sec. post where raise a mound  
 51.00 To a narrow marsh crs. E. & W.  
 52.00 Over narrow do.  
 80.00 Set post on to Sec. 3, 4, 9 & 10 where raise a  
 mound, land same

East on Random between Sec. 3 & 10  
 38.20 Come to a small flag mark  
 41.75 Over " " " Do  
 80.00 Intersect E. line of Sec. 10 10 lks N. of post, land same

West Corner line between Sec. 3 & 10  
 40.00 Set gr. Sec. in flag mark no mound or bearing  
 80.00 Section corner,

North Between Sections 3 & 4  
 40.00 Set gr. Sec. post where raise a mound  
 78.09 Intersect N. Boundary 42 lks West of post  
 Where set post & raise a mound, land prairie  
 rolling - valley 2<sup>nd</sup> rate June 18, 1834

North Between Sections 32 & 33  
 40.00 Set gr. Sec. post where raise a mound  
 80.00 Set post where a mound on to Sec. 28, 29, 32 & 33  
 Land beautifully rolling first rate prairie

East on Random between Sec. 28 & 33

50.06 Descend to marsh, not deep, from N.  
 62.51 Leave Do & cross Ridge narrow  
 64.00 Enter marsh course N. & S.  
 66.90 Over Do  
 80.04 Intersect horizontal line of Sec.

---

West Blaze line Back between Sec 28 & 33  
 40.02 Set gr. Sec. post when raise a mound  
 80.04 Section Corner, land same

---

North Between Sections 28 & 29  
 40.00 Set gr. Sec. post when raise a mound  
 40.97 Enter marsh from S. W.  
 45.00 over Do  
 80.00 Set post cor. to Sec. 20. 21. 28 & 29 when raise a mound  
 Land the same

---

East on Random between Sec. 21 & 28  
 50.25 Enter marsh  
 60.50 over Do & ascend high Ridge  
 79.64 Intersect E. line of Sec. at post, land same

---

West Blaze line Back between Sec. 21 & 28  
 39.87 Set gr. Sec. post when raise a mound  
 79.64 Section Corner, June 19, 1834

---

North Between Sections 20 & 21  
 26.94 To a Trail or Wagon Road cor N. E.  
 40.00 Set gr. Sec. post when raise a mound  
 80.00 Set post cor. to Sec. 16. 17. 20 & 21 when raise a mound,  
 Land same

---

East on Random between Sec. 16 & 21  
 42.60 To a Trail or Wagon Road N. E.  
 70.00 Descend from Ridge to drain or marsh from N. W.  
 72.00 over drain & ascend a ridge

T. 33 N. - R. 9 W. 2<sup>nd</sup> Mer, Indiana

79.70 Intersect E. line of Sec. at post, land same

West Blaze line back between Sec. 16 & 21

39.85 Set gr. Sec. post where raise a mound

79.70 Section Corner,

North Between Sections 16 & 17

40.00 Set gr. Sec. post where raise a mound

48.25 Enter marsh corner S. W.

50.60 over Do

80.00 Set post cor. to Sec. 8, 9, 16 & 17 where raise a mound  
Land part 2<sup>nd</sup> rate

East on Random between Sec. 9 & 16

13.10 Enter marsh from N. W.

23.50 over Do

54.50 To a Drain corner South

56.50 over Do

79.58 Intersect E. line of Sec. 20 lks North of post  
Land 2<sup>nd</sup> rate, part rolling & part wet,

West Connect line between Sec. 9 & 16

39.79 Set gr. Sec. post where raise a mound

79.58 Section Corner,

North Between Sections 8 & 9

40.00 Set gr. Sec. post where raise a mound

50.00 Set post cor. to Sec. 4, 5, 8 & 9 where raised a mound

East on Random between Sec. 4 & 9

72.15 Enter deep marsh

77.50 over " Do

80.00 Intersect E. line of Sec. 16 lks South of post  
Land 2<sup>nd</sup> rate. Rolling, part wet

West Connect line between Sec. 4 & 9

T. 33 N., R. 9 W. 2nd Mer. Indiana

465

40.00 Set gr. Sec. post when raise a mound  
80.00 Section Corner

North Between Sections 4 & 9

1.28 To a Trail & Wagon Road crs N. E.  
23.28 " a Deep flag marsh from N. E.  
29.38 over marsh  
39.25 Enter Do  
40.00 Set gr. Sec. post in marsh no drainage  
42.25 ~~Leave the marsh~~  
49.52 Enter on N. Boundary 34 lbs. west of post, when set &  
raise a mound cr. to Sec. 4 & 5, land rolling  
valley, west & 2nd rate June 20, 1834

North Between Sections 31 & 32

40.00 Set gr. Sec. post when raise a mound  
50.00 Set post cr. to Sec. 29, 30, 31 & 32 when raise  
a mound, land 1st rate dry prairie

East on Random between Sec. 29 & 32

49.44 Enter on E. line of Sec. 20 lbs North of post

West on line between Sec. 29 & 32

39.57 Set gr. Sec. post when raise a mound  
49.44 Section Corner, land same

West on Random between Sec. 30 & 31

13.85 To a Trail & Wagon Road crs N. E.  
48.38 Enter on West Boundary 8 lbs. S. of post  
Land same

East on line between Sec. 30 & 31

38.38 Set gr. Sec. post when raise a mound  
48.38 Section Corner,

North Between Sections 29 & 30

14.04 To a Trail & Wagon Road crs N. E.

T. 33 N. R. 9 W. 2nd Mer. Indiana,

- 40.00 Set gr. Sec. post where raise a mound  
80.00 Set post cor. to Sec. 19, 20, 29 & 30 where raised  
a mound. land same

- East on Random between Sec. 20 & 29  
2.30 To a small flag marsh crs N. N. E.  
4.40 over marsh  
58.32 To a trail & hoggen Road crs N. E.  
80.08 Intersect E. line of Sec. at post land part west &  
Second rate

- West "Blaze line Back between Sec. 20 & 29  
40.04 Set gr. Sec. post where raise a mound  
80.08 Section Corner,

- West on Random between Sec. 19 & 30  
35.30 Leave prairie & Enter grove  
77.54 Intersect West Boundary 12 W. S. of post  
Land Broken - deep ravines. 3<sup>rd</sup> rate timber  
Short W. & Y. Oak undergrowth Hazel & C.

- East corner line between Sec. 19 & 30  
37.54 Set gr. Sec. post from which  
a Y. Oak 8 in. dia. bears N. 1 N. 13 W. dis.  
a " Do 6 " " " S. 5 E. 25 " "  
40.98 To a W. Oak 36 in. dia.  
77.54 Section Corner June 23<sup>rd</sup> 1834

- North Between Sections 19 & 20  
12.50 To an Impepable flag marsh E. 140 ch. in wet  
Still E. 3.10 ch. N. 15 ch. W. 4.50 ch. to the line  
and pass a marsh  
40.00 Set gr. Sec. post from which  
a Hickory 18 in. dia. bears N. 70 W. 3.11 W. dis.  
a pin oak 18 " " " N. 57 1/2 W. 2.84 " "  
69.75 Leave prairie & Enter grove



T. 33 N. - R. 9 E. 2nd Sec. Indiana

467

- 79.25 To Trail & Wagon Road cr. N. E.  
 80.00 Set post cor. to Sec. 17, 18, 19 & 20 from which  
 @ W. oak 20 in. dia. beam N. 39 $\frac{1}{2}$  W. 222 lks. dist.  
 @ " Do 16 " " " N. 71 $\frac{1}{2}$  W. 139 " "  
 Land, Br. Oak & Hickory U. G. plus chany Hazel  
 Sumac, Crab apple, 1 $\frac{1}{2}$  rate

- East on Random between Sec. 17 & 20  
 50 To Trail & Road cr. N. E.  
 5.00 Leave grove & enter prairie  
 74.84 Intersect E. line of Sec. 14 lks. North of post  
 Land rolling prairie just rate.

- West Correct line between Sec. 17 & 20  
 39.92 set gr. Sec. post where raise a mound  
 74.84 Section corner

- West on Random between Sec. 18 & 19  
 77.80 Intersect W. Bound. line 54 lks. South of post  
 Land broken 2 $\frac{1}{2}$  rate W. oak Br. oak, B. & Y.  
 oak & Hickory and some B. Walnut  
 Undergrowth Hazel Hickory oak &c.

- East Correct line between Sec. 18 & 19  
 37.80 Set gr. Sec. post from which  
 @ W. oak 28 in. dia. beam S. 44 $\frac{1}{2}$  W. 21 lks. dist.  
 @ " Do 20 " " " N. 17 E. 69 " "  
 54.78 @ " Do 16 " "  
 74.80 Section corner.

- North Between Sections 17 & 18  
 28.50 To W. oak 14 in. dia.  
 40.00 Set gr. Sec. post from which  
 @ W. oak 24 in. dia. beam S. 41 W. 145 lks. dist.  
 @ " Do 24 " " " N. 47 $\frac{1}{2}$  W. 131 " "  
 51.99 @ " Do 26 " "



T. 33 N. - R. 9 W. 2<sup>nd</sup> Mer, Indiana

79.50 To a W. oak 26 in. diam,  
 80.00 Set post cor to Sec. 7, 8, 17 & 18 from which  
 a W. oak 26 in. dia bears South 47<sup>th</sup> dist.  
 a " Do 20 " " " N. 62 W. 40 " "  
 Land rolling Soil 2<sup>nd</sup> rate W. 3<sup>rd</sup> & 4<sup>th</sup> oak &  
 Hickory undergrowth Hough Hickory & Oak

East on Random between Sec. 8 & 17

28.50 Enter prairie

31.61 To a Trail & Wagon Road corner N. E.

34.00 " Impepable Marsh, offset. South 4.50. thence  
 East 7.50 at 6.00 outlet - thence North 4.50 to line.

211.50 Over Marsh

79.38 Intersect E. line of Sec. 5 1/2 m. South of post land  
 before entering prairie same as last mile - prairie  
 part rolling & part wet 2<sup>nd</sup> rate

West Cor. of line between Sec. 8 & 17

39.69 Set gr. Sec. post in flag marsh. no bearings

66.53 To a W. oak 26 in. dia,

79.38 Section corner. June 24<sup>th</sup> 1834

West on Random between Sec. 7 & 18

23.50 Decent Step Hill

26.52 Confluence of two brooks one from N.E. one from S.E.

26.75 Leave brook crs. S. W.

28.96 To a Brook 10 lbs wide crs. N. W.

31.22 " a Do 3<sup>rd</sup> crossing crs. S. W.

31.90 " a Do 4<sup>th</sup> Time " crs. N. W.

32.63 " a Do 5 " " " S. E.

32.75 " a Do 6 " " " N. E.

33.30 " a Do 7 " " " S. S. W.

43.50 " a Do 8 " " " N. W.

44.03 " a Do 9 " " " W. S. W.

44.28 " a Do 10 " " " N. W.

44.86 " a Do 11 " " " S. W.

- 50.50 Ascend Ridge  
 55.70 Descend to creek Bottoms  
 62.00 To Pumpable point in creek crs. S.E. N. 573 lbs  
 " a point where a lush on the line on opposite  
 Bank bears S. 45 W. 373 lbs,  
 65.73 Over point & ascend Hill  
 77.57 Intersect W. Boundary 12 lbs N. of post, land  
 broken 2nd rate Br. W. & R. Oak & Hickory no  
 undergrowth

- 
- East Correct line between Sec. 7 & 8  
 37.57 Set gr. Sec. post from which  
 @ Br. Oak 24 in. dia. bears N. 50 E. 467 lbs. dist.  
 @ R. Oak 36 " " " S. 22 W. 2.05 " "  
 77.57 Section Corner.

- 
- North Between Sections 7 & 8  
 42 To @ Hickory 8 in. dia.  
 37.91 " @ W. Oak - 16 " "  
 39.25 Descend into Ravine crs. S.W.  
 40.00 Set gr. Sec. post in Ravine from which  
 @ W. Oak 10 in. dia. bears S. 35 1/2 E. 149  
 @ " Do 12 " " " S. 8 W. 145  
 74.89 @ Br. Oak 18 " "  
 80.00 Set post cor to Sec. 5, 6, 7 & 8 from which  
 @ Br. Oak 12 in. dia. bears S. 61 E. 52 lbs. dist.  
 Hickory 18 " " " N. 51 W. 47 " "  
 Land beautifully rolling. Timber Section 12 & 13  
 W. Br. & Y. Oak some Hickory & Blk. Walnut  
 no undergrowth;

- 
- East on Ravine between Sec. 5 & 8  
 35.00 Enter Branch of main  
 78.78 To @ Trail & Wagon Road  
 79.86 Intersect E. line of Sec. 8 lbs South of post.  
 Land before entering main same as last mile

T. 33 N. ~ R. 9 W. 2<sup>nd</sup> Mer, Indiana

6.26, prairie land mostly rolling 1<sup>st</sup> rate

West corner line between Secs 5 & 8

39.93 Set gr. Sec. post from which

@ Hickory 11 in. dia, bears N. 28 1/2 W. 3.31 Mo. dist.

@ W. Oak 9 " " " N. 52 1/2 W. 3.20 " "

49.86 Section corner,

West on Random between Secs 6 & 7

24.50 Descend Ridge

29.50 Enter Mark course S.

30.25 Over Do & ascend Ridge

39.75 Descend bluff to creek bottom

40.75 To @ creek cr. S. - flow current

42.00 over Do

45.50 Ascend Creek Hill

68.50 Enter prairie

72.20 To @ flag mark cr. N. & S.

75.46 over " Do

77.60 Antiseet post on West Boundary, land broken  
Timber shot same kind as last mile,

East Blaze line back between Secs 6 & 7

37.60 gr. Sec. cor. from which

@ Spruce 6 in. dia, bears S. 29 E. 1.02 Mo. dist.

@ W. Oak 18 " " " East 93 " "

47.60 Section corner

North Between Sections 5 & 6

13.13 To @ Br. Oak 30 in. diam.

37.50 " @ Birch 4 1/2 in. dia. course S. W.

40.00 Set gr. Sec. post from which

@ Br. Oak 9 in. dia, bears S. 44 1/2 W. 1.93 Mo. dist.

@ W. Oak 12 " " " N. 41 1/2 W. 1.06 " "

41.83 @ E. Oak 7 " "

80.87 Antiseet N. Boundary at post from which

T. 33 N. - R. 9 W. 2<sup>nd</sup> Mer, Indiana

471

C. No @ Br. Oak 10 in. dia. bears S. 54 E. 1,99 lbs. dia.  
@ Hickory 6 " " " S. 80 W. 1,21 " "  
Land rolling W. & Br. Oak & Hickory undergrowth  
Br. Oak Hickory Maple &c. June 25<sup>th</sup> 1834

---

Township 33 N. R. 9 W. is well adapted to agricultural  
Business - the prairie is good soil handsomely  
rolling and when cultivated will be well watered,  
the timber both on the E. & W. sides is of a good  
quality, and generally of good growth & in a fine  
growing state, Water Power can probably be had  
though no demonstration of it is had from ocular  
observation, the creek on the E. & W. sides of the  
Township each afford at present a sufficiency  
of Water for a good Mill business but their currents  
are sluggish and mostly their banks low - some  
evidences of Iron Ore are here manifested tho'  
not sufficient to enable me to judge of the  
quantity or extent, Uriah Biggs  
Deputy Surveyor,

---

I hereby Certify that in pursuance of a contract  
with W. S. Williams Surveyor General of the  
United States, for the State of Ohio & Indiana  
and the Territory of Michigan bearing date the  
3<sup>rd</sup> day of May 1834 & in strict conformity to  
the Laws of the United States & the Instructions  
of said Surveyor General, I have Surveyed and  
Subdivided into Sections, Township No. 33 North  
in Range 9 West in the State of Indiana and  
I do further certify that the foregoing are the true &  
original field notes of the said Survey Subdivi-  
sion, Executed as aforesaid. Certified the 26,  
day of June 1834, Uriah Biggs, Dep<sup>y</sup> Surveyor,

Thos. C. McPherson }  
James <sup>his</sup> Lotman } Chairman  
Saml. <sup>mark</sup> Coate } marker,

T. 33 N. R. 9 W. 2<sup>nd</sup> Mer. Indiana

I certify that the foregoing transcript of field notes of Township 33 North of Range 9 West 2<sup>nd</sup> Meridian State of Indiana, has been compared with the Original in this office and found to be correct.

William Johnston  
Sur. Genl.

Surveyor General's Office  
Cincinnati. Dec<sup>r</sup> 30<sup>th</sup> 1842